

**2018 IECC
RESIDENTIAL ENERGY CODE WORKSHEET
Climate Zone 2 (A)(Moist/Warm – Humid)**

Project Address: _____

Applicant Name: _____ **Phone:** _____

BUILDING THERMAL ENVELOPE (External Walls)

MINIMUM R - VALUES Table 402.1.2			MAXIMUM WINDOW & DOOR REQUIREMENTS * Table 402.1.2 / *Sec 402.3.3 for exceptions	
Wood Frame Wall	Attic	Floor	U-Factors	Solar Heat Gain Coefficient
R-13	R-38	R-13	Window: 0.40	0.25
A/C Ducts – R-8				

Project Type: <input type="checkbox"/> Addition <input type="checkbox"/> Remodel <input type="checkbox"/> Repair #of windows _____ # of doors _____
Scope of Work:

STICKERS MUST BE LEFT ON WINDOWS UNTIL INSPECTION IS COMPLETED

The Information represents the basic requirements only, is not all inclusive and does not replace or amend the adopted 2018 Energy Code.

Door Inspections: Trim shall be left off door jam on either inside or outside for inspection. Trim left off on the interior will require access to inside of structure for inspection.

Window Inspections: Stickers shall remain on windows for inspection. Access to inside of structure will not be required if stickers are placed to face out and visible from exterior and access is approved to enter backyard.

A copy of this form shall be posted by the contractor at the job site upon request for inspection. No inspection will be performed if not posted and re-inspection fees will apply.

Applicant Signature: _____ **Date:** _____